






ELI 50 / E 1 | ELI 50 / E 2 | ELI 50 Sq / E 1 | ELI 50 Sq / E 2 | ELI 50 Spot / E 1 | ELI 50 Spot / E 2



EN INSTALLATION INSTRUCTIONS**FR** NOTICE DE MONTAGE**DE** MONTAGEANLEITUNG**PT** INSTRUÇÕES DE MONTAGEM**ES** INSTRUCCIONES DE MONTAJE**ELI 50 / E 1****ELI 50 Sq / E 1****ELI 50 Spot / E 1****ELI 50 / E 2****ELI 50 Sq / E 2****ELI 50 Spot / E 2**

Order code / Code com. / Bestell-Nr. / Código / Código: 90694L... | 90695L... | 90696L... | 90697L... | 90702L... | 90703L...

**EN** Carefully read the installation instructions provided before installing the device. Safety and Maintenance: Scan here.**FR** Lire attentivement les notices de montage avant l'installation de l'appareil. Sécurité et Entretien: Scannez ici.**DE** Bitte lesen die mitgelieferte Montageanleitung vor der Montage des Geräts. Sicherheit und Wartung: Hier scannen.**PT** Leia atentamente as instruções de montagem fornecidas antes de instalar o aparelho. Segurança e Manutenção: Scan aqui.**ES** Lea atentamente las instrucciones de montaje proporcionadas antes de instalar el aparato. Seguridad y Mantenimiento: Escanea aquí.

ELI 50 /E 1 | ELI 50 /E 2 | ELI 50 Sq /E 2 | ELI 50 Sq /E 2 |
 ELI 50 Spot /E 1 | ELI 50 Spot /E 2

⚠
EN WARNING: THE LUMINAIRE MUST BE ASSEMBLED WITH A DRIVER SUITABLE FOR ITS TECHNICAL SPECIFICATIONS.
FR AVERTISSEMENT: L'APPAREIL DOIT ÊTRE INSTALLÉ AVEC LE DRIVER INSTALLÉ AVEC UN DRIVER QUI CORRESPOND À SES CARACTÉRISTIQUES TECHNIQUES.
DE WARNUNG: DIE LEUCHTE MUSS MIT EINEM FÜR IHRE TECHNISCHEN SPEZIFIKATIONEN GEEIGNETEN TREIBER BESTÜCKT WERDEN.
PT ATENÇÃO: A LUMINÁRIA DEVE SER MONTADA COM O DRIVER ADEQUADO AS SUAS CARACTERÍSTICAS TÉCNICAS.
ES ATENCIÓN: LA LUMINARIA DEBERÁ MONTARSE CON EL DRIVER ADECUADO A SUS CARACTERÍSTICAS TÉCNICAS.

	 (mm)	A	B	C	 (mm)	W	mA	V
.../E 1	Ø75x76	--	--	Ø[65-68]	1-25	9	250	34,9
.../E 2	75x135x76	[120-125]	60	Ø[60-65]	1-25	17	500	34,9
...Sq /E 1	75x75x73	--	--	Ø[65-68]	1-25	9	250	34,9
...Sq /E 2	135x75x73	[120-125]	60	Ø[60-65]	1-25	17	500	34,9
...Spot /E 1	Ø65x159	--	--	Ø[50-52]	1-25	5	150	33,4
...Spot /E 2	65x125x159	[105-110]	60	Ø[45-50]	1-25	10	300	33,4




TOOLS | OUTILS | WERKZEUG | FERRAMENTAS | HERRAMIENTAS

Phillips screwdriver




EN USE GLOVES.
FR UTILISEZ DES GANTS.
DE HANDSCHUHE BENUTZEN.
PT UTILIZE LUVAS.
ES USE GUANTES.



ELI 50 /E 1 | ELI 50 /E 2 | ELI 50 Sq /E 1 | ELI 50 Sq /E2
 | ELI 50 Spot /E 1 | ELI 50 Spot /E 2

90694L... | 90695L... | 90696L... | 90697L... | 90702L... |
 90703L...




(x1)

CONTROL GEAR
 ALIMENTATION ÉLECTRIQUE
 GETRIEBSGERÄT
 FONTE DE ALIMENTAÇÃO
 FUENTE DE ALIMENTACIÓN

+ 
 IIV864

90000... | 90010... | 90011... | 90030...







(x1)

SAFETY CABLE
 FILIN D'ACIER
 SICHERHEITSKABEL OPTION
 CABO DE SEGURANÇA
 CABLE DE SEGURIDAD


955000



	 (mm)			 (mm)
.../E 1	Ø75x76	--	--	Ø[65-68]
.../E 2	75x135x76	[120-125]	60	Ø[60-65]
...Sq /E 1	75x75x73	--	--	Ø[65-68]
...Sq /E 2	135x75x73	[120-125]	60	Ø[60-65]
...Spot /E 1	Ø65x159	--	--	Ø[50-52]
...Spot /E 2	65x125x159	[105-110]	60	Ø[45-50]



1





FOR ELECTRICAL CONNECTION, REQUIRES EXTERNAL CONTROL GEAR, READ:
POUR LE RACCORDEMENT ÉLECTRIQUE, NÉCESSITE UN ÉQUIPEMENT DE COMMANDE EXTERNE, LIRE :
FÜR DEN ELEKTRISCHEN ANSCHLUSS IST EIN EXTERNES STEUERGERÄT ERFORDERLICH, LESEN SIE:
PARA LIGAÇÃO ELÉTRICA, REQUER FONTE DE ALIMENTAÇÃO EXTERNA, LER:
PARA LA CONEXIÓN ELECTRICA, REQUIERE FUENTE DE ALIMENTACIÓN EXTERNA, LEA:




IIV864



2 - SAFETY CABLE OPTION
OPTION FILIN D'ACIER
SICHERHEITSKABEL OPTION
OPÇÃO CABO DE SEGURANÇA
OPCIÓN CABLE DE SEGURIDAD



3




4




EN WARNING: NEVER CONNECT DIRECTLY ~230V. DRIVER REQUIRED FOR OPERATION.
FR ATTENTION : NE JAMAIS BRANCHER DIRECTEMENT SUR ~230V. NECESSITE L'APPLICATION D'UN DRIVER.
DE ACHTUNG: NIEMALS DIREKT AN ~230V ANSCHLIESSEN. FÜR DEN BETRIEB IST EIN TREIBER ERFORDERLICH.
PT ATENÇÃO: NUNCA LIGAR ~230V DIRETO. REQUER APLICAÇÃO DO DRIVER.
ES ATENCIÓN: NO CONECTAR DIRECTAMENTE A ~230V. REQUIERE LA APLICACIÓN DE UN DRIVER.

5




6

2.




7

1.



2.



ELI 50 Spot /E 1 | ELI 50 Spot /E 2

