

Luminaire

Code 90717L550

Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

Measurem.

Code 9/8/2023

Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO



| | | | | | | | |
|----------------|---------|-----------------|---------------|----------|---------------|------------|--------------------|
| Luminaire Flux | 5740 lm | Luminaire Power | 46.1 W | Efficacy | 124.428 lm/W | Efficiency | 74.66% |
| Source Flux | 7688 lm | Maximum value | 210.20 cd/klm | Position | C=0.00 G=0.00 | CG | Double Symmetrical |

550mm x 550mm

C Halfplanes

180.0 ————— 0.0

270.0 ————— 90.0



Luminaire

Code 90717L550

Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

Measurem.

Code 9/8/2023


Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

| | | | | | | | |
|----------------|---------|-----------------|---------------|----------|---------------|------------|--------------------|
| Luminaire Flux | 5740 lm | Luminaire Power | 46.1 W | Efficacy | 124.428 lm/W | Efficiency | 74.66% |
| Source Flux | 7688 lm | Maximum value | 210.20 cd/klm | Position | C=0.00 G=0.00 | CG | Double Symmetrical |

Width at 50.00 % of Max Intensity

| | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|
| H[m] | 1.00 | 2.00 | 3.00 | 4.00 | 5.00 | H[m] | 1.00 | 2.00 | 3.00 | 4.00 | 5.00 |
| OA | 1.38 | 2.77 | 4.15 | 5.54 | 6.92 | OC | 1.39 | 2.78 | 4.16 | 5.55 | 6.94 |
| OB | 1.38 | 2.77 | 4.15 | 5.54 | 6.92 | OD | 1.39 | 2.78 | 4.16 | 5.55 | 6.94 |

| | 0 | 5 | 15 | 25 | 35 | 45 | 55 | 65 | 75 | 85 |
|----|---------|---------|---------|---------|---------|---------|--------|--------|--------|-------|
| OA | 1616.02 | 1606.02 | 1538.37 | 1411.52 | 1233.92 | 1024.81 | 787.25 | 536.62 | 284.46 | 78.42 |
| OB | 1616.02 | 1606.02 | 1538.37 | 1411.52 | 1233.92 | 1024.81 | 787.25 | 536.62 | 284.46 | 78.42 |
| OC | 1616.02 | 1607.56 | 1539.91 | 1412.29 | 1237.00 | 1025.58 | 788.79 | 535.08 | 280.61 | 69.19 |
| OD | 1616.02 | 1607.56 | 1539.91 | 1412.29 | 1237.00 | 1025.58 | 788.79 | 535.08 | 280.61 | 69.19 |



| H[m] | D[m] | Max lux | Med lux | Alpha=54.2°+54.2° | G=0.0 |
|------|-------|---------|---------|-------------------|-------|
| 1.00 | 2.77 | 1616 | 424 | | |
| 2.00 | 5.54 | 404 | 106 | | |
| 3.00 | 8.31 | 180 | 47 | | |
| 4.00 | 11.08 | 101 | 26 | | |
| 5.00 | 13.85 | 65 | 17 | | |

| H[m] | D[m] | Max lux | Med lux | Beta=54.2°+54.2° | G=0.0 |
|------|-------|---------|---------|------------------|-------|
| 1.00 | 2.78 | 1616 | 424 | | |
| 2.00 | 5.55 | 404 | 106 | | |
| 3.00 | 8.33 | 180 | 47 | | |
| 4.00 | 11.10 | 101 | 26 | | |
| 5.00 | 13.88 | 65 | 17 | | |

Luminaire

Code 90717L550
Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

Measurem.

Code 9/8/2023
Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

| | | | | | | | |
|----------------|---------|-----------------|---------------|----------|---------------|------------|--------------------|
| Luminaire Flux | 5740 lm | Luminaire Power | 46.1 W | Efficacy | 124.428 lm/W | Efficiency | 74.66% |
| Source Flux | 7688 lm | Maximum value | 210.20 cd/klm | Position | C=0.00 G=0.00 | CG | Double Symmetrical |

UGR
S = 0.250

| Reflectancies | | | | | | | | | | |
|-----------------|--------------|------|------|------|------|----------------|------|------|------|------|
| Ceiling/Cavity | 0.7 | 0.7 | 0.5 | 0.5 | 0.3 | 0.7 | 0.7 | 0.5 | 0.5 | 0.3 |
| Walls | 0.5 | 0.3 | 0.5 | 0.3 | 0.3 | 0.5 | 0.3 | 0.5 | 0.3 | 0.3 |
| Working Plane | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| Room Dimensions | | | | | | | | | | |
| Room Dimensions | Lateral View | | | | | Viewed Endwise | | | | |
| | | | | | | | | | | |
| x=2H y=2H | 15.8 | 16.9 | 16.4 | 17.4 | 18.1 | 15.8 | 16.9 | 16.4 | 17.4 | 18.1 |
| x=2H y=3H | 17.1 | 18.1 | 17.8 | 18.7 | 19.4 | 17.1 | 18.1 | 17.8 | 18.7 | 19.4 |
| x=2H y=4H | 17.6 | 18.5 | 18.3 | 19.1 | 19.9 | 17.6 | 18.5 | 18.2 | 19.1 | 19.8 |
| x=2H y=6H | 17.9 | 18.7 | 18.6 | 19.3 | 20.1 | 17.9 | 18.7 | 18.5 | 19.3 | 20.1 |
| x=2H y=8H | 18.0 | 18.7 | 18.6 | 19.4 | 20.2 | 17.9 | 18.7 | 18.6 | 19.4 | 20.1 |
| x=2H y=12H | 18.0 | 18.7 | 18.7 | 19.4 | 20.2 | 17.9 | 18.7 | 18.6 | 19.3 | 20.1 |
| x=4H y=2H | 16.3 | 17.2 | 17.0 | 17.8 | 18.6 | 16.3 | 17.2 | 17.0 | 17.8 | 18.6 |
| x=4H y=3H | 17.8 | 18.5 | 18.4 | 19.2 | 19.9 | 17.8 | 18.5 | 18.4 | 19.2 | 19.9 |
| x=4H y=4H | 18.3 | 19.0 | 19.1 | 19.7 | 20.5 | 18.3 | 19.0 | 19.0 | 19.7 | 20.5 |
| x=4H y=6H | 18.7 | 19.3 | 19.5 | 20.0 | 20.9 | 18.7 | 19.3 | 19.4 | 20.0 | 20.8 |
| x=4H y=8H | 18.8 | 19.4 | 19.6 | 20.1 | 20.9 | 18.8 | 19.3 | 19.5 | 20.0 | 20.9 |
| x=4H y=12H | 18.9 | 19.3 | 19.7 | 20.1 | 21.0 | 18.8 | 19.3 | 19.6 | 20.0 | 20.9 |
| x=8H y=4H | 18.5 | 19.0 | 19.2 | 19.7 | 20.6 | 18.5 | 19.0 | 19.2 | 19.7 | 20.6 |
| x=8H y=6H | 19.0 | 19.4 | 19.7 | 20.1 | 21.1 | 18.9 | 19.3 | 19.7 | 20.1 | 21.0 |
| x=8H y=8H | 19.1 | 19.5 | 19.9 | 20.3 | 21.2 | 19.1 | 19.4 | 19.9 | 20.2 | 21.1 |
| x=8H y=12H | 19.2 | 19.5 | 20.0 | 20.3 | 21.3 | 19.1 | 19.5 | 20.0 | 20.3 | 21.2 |
| x=12H y=4H | 18.5 | 18.9 | 19.2 | 19.7 | 20.6 | 18.5 | 18.9 | 19.2 | 19.7 | 20.5 |
| x=12H y=6H | 19.0 | 19.3 | 19.8 | 20.1 | 21.0 | 18.9 | 19.3 | 19.7 | 20.1 | 21.0 |
| x=12H y=8H | 19.2 | 19.5 | 20.0 | 20.3 | 21.2 | 19.1 | 19.4 | 19.9 | 20.2 | 21.1 |

Luminaire

Code 90717L550

Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO


Measurem.

Code 9/8/2023

Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

| | | | | | | | |
|----------------|---------|-----------------|---------------|----------|---------------|-----------------------|--------|
| Luminaire Flux | 5740 lm | Luminaire Power | 46.1 W | Efficacy | 124.428 lm/W | Efficiency | 74.66% |
| Source Flux | 7688 lm | Maximum value | 210.20 cd/klm | Position | C=0.00 G=0.00 | CG Double Symmetrical | |

Luminance



45.0°

Luminaire

Code 90717L550

Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

Measurement

Code 9/8/2023

Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

| Luminaire Flux | 5740 lm | | Luminaire Power | | 46.1 W | | Efficacy | | 124.428 lm/W | | Efficiency | | 74.66% | |
|-----------------|---------|---------|-----------------|---------|---------------|---------|----------|---------|---------------|---------|------------|----------|--------------------|--|
| Source Flux | 7688 lm | | Maximum value | | 210.20 cd/klm | | Position | | C=0.00 G=0.00 | | CG | | Double Symmetrical | |
| Luminance cd/m2 | | | | | | | | | | | | | | |
| Table 1/3 | | | | | | | | | | | | | | |
| | C 0.00 | C 10.00 | C 20.00 | C 30.00 | C 40.00 | C 50.00 | C 60.00 | C 70.00 | C 80.00 | C 90.00 | C 100.00 | C 110.00 | C 120.00 | |
| G 0.0 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | |
| G 5.0 | 5660 | 5649 | 5643 | 5639 | 5632 | 5631 | 5637 | 5642 | 5650 | 5665 | 5650 | 5642 | 5637 | |
| G 10.0 | 5557 | 5533 | 5517 | 5509 | 5497 | 5497 | 5509 | 5516 | 5530 | 5554 | 5530 | 5516 | 5509 | |
| G 15.0 | 5436 | 5404 | 5381 | 5363 | 5348 | 5347 | 5361 | 5376 | 5401 | 5442 | 5401 | 5376 | 5361 | |
| G 20.0 | 5303 | 5261 | 5228 | 5203 | 5189 | 5189 | 5201 | 5225 | 5260 | 5306 | 5260 | 5225 | 5201 | |
| G 25.0 | 5159 | 5097 | 5056 | 5033 | 5017 | 5017 | 5036 | 5064 | 5105 | 5161 | 5105 | 5064 | 5036 | |
| G 30.0 | 4998 | 4932 | 4884 | 4853 | 4834 | 4835 | 4853 | 4883 | 4932 | 5004 | 4932 | 4883 | 4853 | |
| G 35.0 | 4821 | 4750 | 4693 | 4652 | 4632 | 4636 | 4661 | 4698 | 4754 | 4833 | 4754 | 4698 | 4661 | |
| G 40.0 | 4639 | 4555 | 4492 | 4449 | 4429 | 4431 | 4455 | 4500 | 4566 | 4654 | 4566 | 4500 | 4455 | |
| G 45.0 | 4446 | 4351 | 4277 | 4226 | 4211 | 4215 | 4239 | 4286 | 4357 | 4450 | 4357 | 4286 | 4239 | |
| G 50.0 | 4225 | 4115 | 4036 | 3987 | 3964 | 3966 | 3994 | 4046 | 4125 | 4232 | 4125 | 4046 | 3994 | |
| G 55.0 | 3976 | 3857 | 3776 | 3725 | 3693 | 3692 | 3725 | 3781 | 3866 | 3983 | 3866 | 3781 | 3725 | |
| G 60.0 | 3684 | 3563 | 3479 | 3424 | 3390 | 3388 | 3421 | 3477 | 3566 | 3688 | 3566 | 3477 | 3421 | |
| G 65.0 | 3364 | 3225 | 3129 | 3071 | 3041 | 3040 | 3067 | 3121 | 3215 | 3354 | 3215 | 3121 | 3067 | |
| G 70.0 | 2938 | 2806 | 2710 | 2648 | 2617 | 2621 | 2658 | 2708 | 2796 | 2927 | 2796 | 2708 | 2658 | |
| G 75.0 | 2448 | 2311 | 2214 | 2153 | 2123 | 2123 | 2153 | 2198 | 2283 | 2415 | 2283 | 2198 | 2153 | |
| G 80.0 | 1874 | 1742 | 1651 | 1581 | 1525 | 1513 | 1539 | 1594 | 1679 | 1799 | 1679 | 1594 | 1539 | |
| G 85.0 | 1131 | 1019 | 943 | 887 | 845 | 822 | 824 | 855 | 912 | 998 | 912 | 855 | 824 | |
| G 90.0 | 631 | 538 | 468 | 412 | 377 | 346 | 312 | 281 | 247 | 205 | 247 | 281 | 312 | |

Luminaire

Code 90717L550

Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

Measurement

Code 9/8/2023

Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|------|----------|------|-----------------|------|---------------|------|----------|------|---------------|------|------------|------|--------------------|------|----------|------|----------|------|----------|------|----------|------|----------|------|------|
| Luminaire Flux | | 5740 lm | | Luminaire Power | | 46.1 W | | Efficacy | | 124.428 lm/W | | Efficiency | | 74.66% | | | | | | | | | | | | |
| Source Flux | | 7688 lm | | Maximum value | | 210.20 cd/klm | | Position | | C=0.00 G=0.00 | | CG | | Double Symmetrical | | | | | | | | | | | | |
| Luminance cd/m2 | | | | | | | | | | | | | | Table 2/3 | | | | | | | | | | | | |
| C 130.00 | | C 140.00 | | C 150.00 | | C 160.00 | | C 170.00 | | C 180.00 | | C 190.00 | | C 200.00 | | C 210.00 | | C 220.00 | | C 230.00 | | C 240.00 | | C 250.00 | | |
| G 0.0 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 |
| G 5.0 | 5631 | 5632 | 5639 | 5643 | 5649 | 5660 | 5649 | 5643 | 5639 | 5632 | 5631 | 5637 | 5642 | 5647 | 5653 | 5659 | 5665 | 5671 | 5677 | 5683 | 5689 | 5695 | 5701 | 5707 | 5713 | 5719 |
| G 10.0 | 5497 | 5497 | 5509 | 5517 | 5533 | 5557 | 5533 | 5517 | 5509 | 5497 | 5497 | 5509 | 5516 | 5523 | 5530 | 5537 | 5544 | 5551 | 5558 | 5565 | 5572 | 5579 | 5586 | 5593 | 5600 | 5607 |
| G 15.0 | 5347 | 5348 | 5363 | 5381 | 5404 | 5436 | 5404 | 5381 | 5363 | 5348 | 5347 | 5361 | 5376 | 5391 | 5406 | 5421 | 5436 | 5451 | 5466 | 5481 | 5496 | 5511 | 5526 | 5541 | 5556 | 5571 |
| G 20.0 | 5189 | 5189 | 5203 | 5228 | 5261 | 5303 | 5261 | 5228 | 5203 | 5189 | 5189 | 5201 | 5225 | 5249 | 5273 | 5297 | 5321 | 5345 | 5369 | 5393 | 5417 | 5441 | 5465 | 5489 | 5513 | 5537 |
| G 25.0 | 5017 | 5017 | 5033 | 5056 | 5097 | 5159 | 5097 | 5056 | 5033 | 5017 | 5017 | 5036 | 5064 | 5092 | 5120 | 5148 | 5176 | 5204 | 5232 | 5260 | 5288 | 5316 | 5344 | 5372 | 5400 | 5428 |
| G 30.0 | 4835 | 4834 | 4853 | 4884 | 4932 | 4998 | 4932 | 4884 | 4853 | 4834 | 4835 | 4853 | 4883 | 4912 | 4941 | 4970 | 5000 | 5029 | 5058 | 5087 | 5116 | 5145 | 5174 | 5203 | 5232 | 5261 |
| G 35.0 | 4636 | 4632 | 4652 | 4693 | 4750 | 4821 | 4750 | 4693 | 4652 | 4636 | 4661 | 4698 | 4735 | 4772 | 4809 | 4846 | 4883 | 4920 | 4957 | 4994 | 5031 | 5068 | 5105 | 5142 | 5179 | 5216 |
| G 40.0 | 4431 | 4429 | 4449 | 4492 | 4555 | 4639 | 4555 | 4492 | 4449 | 4431 | 4455 | 4500 | 4545 | 4590 | 4635 | 4680 | 4725 | 4770 | 4815 | 4860 | 4905 | 4950 | 4995 | 5040 | 5085 | 5130 |
| G 45.0 | 4215 | 4211 | 4226 | 4277 | 4351 | 4446 | 4351 | 4277 | 4226 | 4215 | 4239 | 4286 | 4333 | 4380 | 4427 | 4474 | 4521 | 4568 | 4615 | 4662 | 4709 | 4756 | 4803 | 4850 | 4897 | 4944 |
| G 50.0 | 3966 | 3964 | 3987 | 4036 | 4115 | 4225 | 4115 | 4036 | 3987 | 3966 | 3994 | 4046 | 4098 | 4150 | 4202 | 4254 | 4306 | 4358 | 4410 | 4462 | 4514 | 4566 | 4618 | 4670 | 4722 | 4774 |
| G 55.0 | 3692 | 3693 | 3725 | 3776 | 3857 | 3976 | 3857 | 3776 | 3725 | 3693 | 3692 | 3725 | 3781 | 3837 | 3893 | 3949 | 4005 | 4061 | 4117 | 4173 | 4229 | 4285 | 4341 | 4397 | 4453 | 4509 |
| G 60.0 | 3388 | 3390 | 3424 | 3479 | 3563 | 3684 | 3563 | 3479 | 3424 | 3390 | 3388 | 3421 | 3477 | 3533 | 3589 | 3645 | 3701 | 3757 | 3813 | 3869 | 3925 | 3981 | 4037 | 4093 | 4149 | 4205 |
| G 65.0 | 3040 | 3041 | 3071 | 3129 | 3225 | 3364 | 3225 | 3129 | 3071 | 3040 | 3067 | 3121 | 3177 | 3233 | 3289 | 3345 | 3401 | 3457 | 3513 | 3569 | 3625 | 3681 | 3737 | 3793 | 3849 | 3905 |
| G 70.0 | 2621 | 2617 | 2648 | 2710 | 2806 | 2938 | 2806 | 2710 | 2648 | 2621 | 2658 | 2708 | 2758 | 2808 | 2858 | 2908 | 2958 | 3008 | 3058 | 3108 | 3158 | 3208 | 3258 | 3308 | 3358 | 3408 |
| G 75.0 | 2123 | 2123 | 2153 | 2214 | 2311 | 2448 | 2311 | 2214 | 2153 | 2123 | 2153 | 2198 | 2243 | 2288 | 2333 | 2378 | 2423 | 2468 | 2513 | 2558 | 2603 | 2648 | 2693 | 2738 | 2783 | 2828 |
| G 80.0 | 1513 | 1525 | 1581 | 1651 | 1742 | 1874 | 1742 | 1651 | 1581 | 1525 | 1539 | 1594 | 1649 | 1704 | 1759 | 1814 | 1869 | 1924 | 1979 | 2034 | 2089 | 2144 | 2199 | 2254 | 2309 | 2364 |
| G 85.0 | 822 | 845 | 887 | 943 | 1019 | 1131 | 1019 | 943 | 887 | 822 | 824 | 855 | 886 | 917 | 948 | 979 | 1010 | 1041 | 1072 | 1103 | 1134 | 1165 | 1196 | 1227 | 1258 | 1289 |
| G 90.0 | 346 | 377 | 412 | 468 | 538 | 631 | 538 | 468 | 412 | 377 | 346 | 312 | 281 | 250 | 219 | 188 | 157 | 126 | 95 | 64 | 33 | 2 | 1 | 0 | 0 | 0 |

Luminaire

Code 90717L550

Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

Measurem.

Code 9/8/2023

Name ROFY 60 SQ D/I L0550W550 LIGHT+ K3 830 LO

| | | | | | | | |
|----------------|---------|-----------------|---------------|----------|---------------|------------|--------------------|
| Luminaire Flux | 5740 lm | Luminaire Power | 46.1 W | Efficacy | 124.428 lm/W | Efficiency | 74.66% |
| Source Flux | 7688 lm | Maximum value | 210.20 cd/klm | Position | C=0.00 G=0.00 | CG | Double Symmetrical |

Luminance cd/m2 Table 3/3

| | C 260.00 | C 270.00 | C 280.00 | C 290.00 | C 300.00 | C 310.00 | C 320.00 | C 330.00 | C 340.00 | C 350.00 |
|--------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| G 0.0 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 | 5753 |
| G 5.0 | 5650 | 5665 | 5650 | 5642 | 5637 | 5631 | 5632 | 5639 | 5643 | 5649 |
| G 10.0 | 5530 | 5554 | 5530 | 5516 | 5509 | 5497 | 5497 | 5509 | 5517 | 5533 |
| G 15.0 | 5401 | 5442 | 5401 | 5376 | 5361 | 5347 | 5348 | 5363 | 5381 | 5404 |
| G 20.0 | 5260 | 5306 | 5260 | 5225 | 5201 | 5189 | 5189 | 5203 | 5228 | 5261 |
| G 25.0 | 5105 | 5161 | 5105 | 5064 | 5036 | 5017 | 5017 | 5033 | 5056 | 5097 |
| G 30.0 | 4932 | 5004 | 4932 | 4883 | 4853 | 4835 | 4834 | 4853 | 4884 | 4932 |
| G 35.0 | 4754 | 4833 | 4754 | 4698 | 4661 | 4636 | 4632 | 4652 | 4693 | 4750 |
| G 40.0 | 4566 | 4654 | 4566 | 4500 | 4455 | 4431 | 4429 | 4449 | 4492 | 4555 |
| G 45.0 | 4357 | 4450 | 4357 | 4286 | 4239 | 4215 | 4211 | 4226 | 4277 | 4351 |
| G 50.0 | 4125 | 4232 | 4125 | 4046 | 3994 | 3966 | 3964 | 3987 | 4036 | 4115 |
| G 55.0 | 3866 | 3983 | 3866 | 3781 | 3725 | 3692 | 3693 | 3725 | 3776 | 3857 |
| G 60.0 | 3566 | 3688 | 3566 | 3477 | 3421 | 3388 | 3390 | 3424 | 3479 | 3563 |
| G 65.0 | 3215 | 3354 | 3215 | 3121 | 3067 | 3040 | 3041 | 3071 | 3129 | 3225 |
| G 70.0 | 2796 | 2927 | 2796 | 2708 | 2658 | 2621 | 2617 | 2648 | 2710 | 2806 |
| G 75.0 | 2283 | 2415 | 2283 | 2198 | 2153 | 2123 | 2123 | 2153 | 2214 | 2311 |
| G 80.0 | 1679 | 1799 | 1679 | 1594 | 1539 | 1513 | 1525 | 1581 | 1651 | 1742 |
| G 85.0 | 912 | 998 | 912 | 855 | 824 | 822 | 845 | 887 | 943 | 1019 |
| G 90.0 | 247 | 205 | 247 | 281 | 312 | 346 | 377 | 412 | 468 | 538 |