


VEGA Sq**EN** INSTALLATION INSTRUCTIONS**FR** NOTICE DE MONTAGE**DE** MONTAGEANLEITUNG**PT** INSTRUÇÕES DE MONTAGEM**ES** INSTRUCCIONES DE MONTAJE**IIV576**

EN READ THE SUPPLEMENTARY MANUALS.
FR LIRE LES NOTICES DE MONTAGE SUPPLÉMENTAIRES.
DE LESEN SIE DIE ZUSÄTZLICHEN MONTAGEANLEITUNGEN
PT CONSULTE OS MANUAIS COMPLEMENTARES.
ES LEA LOS MANUALES COMPLEMENTARIOS.



IIV582 or / ou / ou / o
IIV583



Order code / Code com. / Bestell-Nr. / Código / Código: 90444... | 90446...



IP 40

650°C

230V/50Hz



EN Carefully read the installation instructions provided before installing the device. Safety and Maintenance: Scan here.

FR Lire attentivement les notices de montage avant l'installation de l'appareil. Sécurité et Entretien: Sancez ici.

DE Bitte lesen die mitgelieferte Montageanleitung vor de Montage des Geräts. Sicherheit und Wartung: Hier scannen.

PT Leia atentamente as instruções de montagem fornecidas antes de instalar o aparelho. Segurança e Manutenção: Scan aqui.

ES Lea atentamente las instrucciones de montaje proporcionadas antes de instalar el aparato. Seguridad y Mantenimiento: Escanea aqui.




VEGA Sq



(mm)

100x100x200



TOOLS | OUTILS | WERKZEUG | FERRAMENTAS | HERRAMIENTAS

Umbrako 2mm
Phillips screwdriver




EN USE GLOVES.
FR UTILISEZ DES GANTS.
DE HANDSCHUHE BENUTZEN.
PT UTILIZE LUVAS.
ES USE GUANTES.



EN SURFACE MOUNTED
FR SAILLIE
DE OBERFLÄCHENMONTAGE
PT SALIENTE
ES DE SUPERFICIE

90444... | 90446...



(x1)

EN SUSPENDED
FR SUSPENDU
DE SUSPENDIERT
PT SUSPENSA
ES SUSPENDIDO

RECESSED CEILING ROSE
PATÈRE DE SUSPENSION ENCASTRÉE
DECKENDOSE ZUM EINBAU
CAIXA DE ALIMENTAÇÃO DE ENCASTRAR
BASE DE TETO DE EMPOTRAR



IIV562


912620... | 912630...



(x2/x4/x6)



(x1)



(x1)

SURFACE CEILING ROSE
PATÈRE DE SUSPENSION SAILLIE
DECKENDOSE ZUM ANBAU
CAIXA DE ALIMENTAÇÃO SALIENTE
BASE DE TETO DE SUPERFICIE



IIV563


912600... | 912610...



(x8)






(x1)




(x1)

 (mm)
100x100x200

A (mm)
ø50



1




FOR SUSPENDED VERSION READ:
POUR LA VERSION SUSPENDUE LIRE:
FÜR DIE HÄNGEVERSION LESEN SIE:
PARA VERSÃO SUSPENSÀ LER:
PARA LA VERSION SUSPENDIDA LEER:




IIV582 or / ou /
IIV583 ou / o

2




3




1 - 2,5 mm²

9 - 10 mm


4




5 - HF




DALI



6




7



8

1.



2.

